

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	56	programmable with delay with fuse\$1	US-PGPUB; USPAT
<b>2</b>	28	adjustable with delay with fuse\$1	US-PGPUB; USPAT
<b>3</b>	6	(programmable with delay with fuse\$1) same flash	US-PGPUB; USPAT
<b>4</b>	2	(programmable with delay with fuse\$1) with latch	US-PGPUB; USPAT
<b>5</b>	11	(programmable with delay with fuse\$1) same latch\$3	US-PGPUB; USPAT
<b>6</b>	748	latch\$3 with (delay adj2 output\$2)	US-PGPUB; USPAT
<b>7</b>	260	latch\$3 near2 (delay adj2 output\$2)	US-PGPUB; USPAT
<b>8</b>	1	(programmable with delay) with (latch\$3 near2 (delay adj2 output\$2))	US-PGPUB; USPAT
<b>9</b>	5	(programmable with delay) same (latch\$3 near2 (delay adj2 output\$2))	US-PGPUB; USPAT
<b>10</b>	7	(programmable with delay) same (latch\$3 near2 (delay near2 output\$2))	US-PGPUB; USPAT
<b>11</b>	7	programmable with delay with fuse\$1	EPO; JPO
<b>12</b>	1	(programmable with delay) and fuse\$1	IBM_TDB
<b>13</b>	0	programmable and (delay with fuse\$1)	IBM_TDB
<b>14</b>	3	(adjustable with delay) and fuse\$1	IBM_TDB
<b>15</b>	75	programmable with delay	IBM_TDB
<b>16</b>	0	(programmable with delay) and flash	IBM_TDB
<b>17</b>	21	(programmable with delay) and stor\$4	IBM_TDB
<b>18</b>	18	(programmable with delay) and latch	IBM_TDB
<b>19</b>	21	(programmable with delay) and memory	IBM_TDB
<b>20</b>	3	(adjustable and delay) and fuse\$1	IBM_TDB
<b>21</b>	5	programmable and (delay and fuse\$1)	IBM_TDB
<b>22</b>	0	(mov\$3 adj edge) with delay with programmabl\$1	US-PGPUB; USPAT
<b>23</b>	8	((mov\$3 or adjust\$3) adj3 edge) with delay with programmabl\$1	US-PGPUB; USPAT
<b>24</b>	2	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge) same programmabl\$1	US-PGPUB; USPAT
<b>25</b>	137	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge)	US-PGPUB; USPAT
<b>26</b>	7	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge) same delay	US-PGPUB; USPAT
<b>27</b>	2	(((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge)) and (programmable with delay)	US-PGPUB; USPAT

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
28	235	(programmable with delay) with (flip\$1flop\$1 or (flip adj flop\$1))	US-PGPUB; USPAT
29	20	(programmable with delay) with (flip\$1flop\$1 or (flip adj flop\$1)) with trigger\$3	US-PGPUB; USPAT
30	195	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay	US-PGPUB; USPAT
31	13	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same edge\$1	US-PGPUB; USPAT
32	6	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same transition\$1	US-PGPUB; USPAT
33	0	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same edge\$1	EPO; JPO
34	0	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same transition\$1	EPO; JPO
35	31	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay	EPO; JPO
36	4	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge)	EPO; JPO
37	1765	326/93	US-PGPUB; USPAT
38	8	S37 and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
39	27	S37 and (mov\$3 with edge\$3)	US-PGPUB; USPAT
40	154	S37 and ((select\$3 or mov\$3) with edge\$3)	US-PGPUB; USPAT
41	1	S37 and ((select\$3 with edge\$3) same (mov\$3 with edge\$3))	US-PGPUB; USPAT
42	3	S37 and ((select\$3 with edge\$3) and (mov\$3 with edge\$3))	US-PGPUB; USPAT
43	7	((select\$3 with edge\$3) and (mov\$3 with edge\$3)) and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
44	902	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((propagation or time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>45</b>	53	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((signal near2 (propagation or time)) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
<b>46</b>	0	((select\$3 with edge\$3) and (mov\$3 with edge\$3)) and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO
<b>47</b>	4	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((propagation or time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO
<b>48</b>	0	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((signal near2 (propagation or time)) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO